ELSEVIER

Volume 287 Numbers 1–2, 1 June 1999

Journal of ALLOYS AND COMPOUNDS

Contents

Letters

New ternary rare earth–rhodium–germanides: $Ce_4Rh_{13}Ge_9$ and Ho_2RhGe_2 . . . . . L1
P.S. Salamakha, O.L. Sologub (L'viv, Ukraine)

Structure of the high pressure phase γ-MgH_2 by neutron powder diffraction L4
M. Bortz, B. Bertheville (Geneva, Switzerland), G. Böttger (Villigen, Switzerland), K. Yvon (Geneva, Switzerland)

Corrosion and hydrogen penetration properties of electro- and electroless depositions L7
W. Sha, C.J. Murphy, J. Quinn (Belfast, UK)

High anisotropy in Pr–Fe–Co–B–Zr HDDR powders L10
R.N. Faria, A.J. Williams, I.R. Harris (Birmingham, UK)

Physics

Novel electronic configuration in $\partial-Pu$ 1
O. Eriksson, J.D. Becker, A.V. Balatsky, J.M. Wills (Los Alamos, NM, USA)

First-principles bond-length correlation for the omega structure of the 4d-transition elements 6
J.E. Garcés, G.B. Grad, A. Fernández Guillermet (Bariloche, Argentina), S.J. Sferco (Santa Fe, Argentina)

Short-range order in a thin film of decagonal Al–Co–Ni quasicrystal: calculated from a structure model and measured with EXAFS 12
S. Braun, D.C. Meyer, P. Paufler (Dresden, Germany), B. Grushko (Jülich, Germany)

Magnetic properties of RIrGe (R=Gd–Er) compounds from neutron diffraction and magnetic measurements 18
B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), J. Leciejewicz (Warszawa, Poland), M. Ślaski (Birmingham, UK), A. Szytuła (Kraków, Poland)

Synthesis, crystal structure and magnetic properties of $Ba_5Ru_2O_9(O_2)$, $Ba_5Nb_2O_9(O_2)$ and $Ba_5Ru_2O_{10}$ related to the perovskite-type structure, and structural relationships with corresponding sulfides 25
F. Grasset, M. Zakhour, J. Darriet (Pessac, France)

Antiferromagnetic order in the ternary phosphides $LnNi_2P_2$ (Ln=Tb, Dy, Ho, Er) 32
M. Reehuis (Münster and Berlin, Germany), W. Jeitschko, Th. Ebel (Münster, Germany), N. Stüsser (Berlin, Germany)

New $RFe_{12-x}Ta_x$ compounds and their related hydrides and carbides (R=Tb to Lu, $0.5 \leq x \leq 0.7$) 38
R. Vert, M. Bououdina, D. Fruchart, D. Gignoux (Grenoble, France), Y.M. Kalychak, R.V. Skolozdra (Lviv, Ukraine)

Electrical resistivity in the $Co_{2-x}Pd_xTiSn$ Heusler-type alloys 45
A. Ślebarski, E. Talik, G. Chełkowska (Katowice, Poland), A. Jezierski (Poznań, Poland)

Magnetic structure of HoRuGe and ErRuGe 48
B. Penc (Kraków, Poland), M. Hofmann (Berlin-Wannsee, Germany), A. Szytuła (Kraków, Poland)

The (T,x) magnetic phase diagram of $TbNi_xGe_2$ ($0.4<x<1$) compounds. A neutron study 51
P. Schobinger-Papamantellos (Zürich, Switzerland), K.H.J. Buschow (Amsterdam, The Netherlands), C. Ritter (Grenoble, France)

Chemistry

Calculation and prediction for the hydriding properties of $LaNi_{5-x}M_x$ alloys 57
Z. Shuang, L. Qin, C. Ning, M. Li, Y. Wen (Beijing, People's Republic of China)

The crystal structure of perovskites $ALaMnMoO_6$ (A=Sr, Ba) 62
T. Horikubi, N. Kamegashira (Toyohashi, Japan)

Crystal structure and magnetic properties of the new ternary compound Ce_3MnBi_5 67
A.O. Pecharsky, K.A. Gschneidner Jr. (Ames, IA, USA)

Elsevier Science S.A.

Luminescence analysis and subsequent revision of the crystal structure of triclinic L-$EuBO_3$ 71
G. Corbel, M. Leblanc (Le Mans, France), E. Antic-Fidancev, M. Lemaître-Blaise (Paris, France), J.C. Krupa (Orsay, France)

Characterization of the U–UO_2 phase diagram with oxygen isobars at high temperatures 79
W.-E. Wang (Berkeley, CA, USA)

Optical absorption and EPR spectral studies on vanadyl doped zinc phosphate glass 84
R.V.S.S.N. Ravikumar, B.C. Jamalaiah, A.V. Chandrasekhar, B.J. Reddy, Y.P. Reddy (Tirupati, India), P. Sambasiva Rao (Pondicherry, India)

Crystallization of ceramic pigment $CoAl_2O_4$ nanocrystals from Co–Al metal organic precursor 87
W.-S. Cho (Tokyo, Japan), M. Kakihana (Yokohama, Japan)

Electrochemical study of the mechanism of formation of the surface alloy of aluminum–niobium in LiCl–KCl eutectic melt . . 91
M. Mohamedi, N. Kawaguchi, Y. Sato, T. Yamamura (Sendai, Japan)

Hydriding and dehydriding behavior of the product in hydriding combustion synthesis of Mg_2NiH_4 98
L. Li (Nanjing, People's Republic of China), T. Akiyama (Miyagi Prefecture, Japan), T. Kabutomori, K. Terao (Hokkaido Japan), J. Yagi (Sendai, Japan)

Electrochemical behaviors of a V–Ni amorphous binary alloy 104
X.G. Yang, Q.A. Zhang, K.Y. Shu, Y.Q. Lei, Q.D. Wang, W.K. Zhang (Zhejiang, People's Republic of China)

A comparative study for stepwise chlorinatxion–chemical vapor transport characteristics of pure rare earth oxides from Sc_2O_3 to Lu_2O_3 mediated by the vapor complexes $LnAl_nCl_{3n+3}$ 109
Z.-C. Wang, Y.-H. Sun, L. Guo (Liaoning, People's Republic of China)

Structure refinements by the Rietveld method of partially substituted hydroxyapatite: $Ca_9Na_{0.5}(PO_4)_{4.5}(CO_3)_{1.5}(OH)_2$ 114
H. El Feki, J.M. Savariault, A. Ben Salah (Sfax, Tunisia and Toulouse, France)

Titanium carbide–iron composite coatings by reactive plasma spraying of ilmenite 121
P.V. Ananthapadmanabhan (Mumbai, India), P.R. Taylor (Moscow, IO, USA)

Synthesis of titanium nitride in a thermal plasma reactor 126
P.V. Ananthapadmanabhan (Mumbai, India), P.R. Taylor, W. Zhu (Moscow, ID, USA)

Crystal structures and magnetic properties of ordered perovskites $A_2R^{3+}Ir^{5+}O_6$ (A=Sr, Ba; R=Sc, Y, La, Lu) 130
M. Wakeshima, D. Harada, Y. Hinatsu (Sapporo, Japan)

Structure and superstructure of $BiNdSr_2O_6$ and $BiLuSr_2O_6$ by X-ray powder diffraction and electron microscopy 137
M. Wołcyrz, L. Kępiński (Wrocław, Poland)

A new ferromagnetic polymorph of $CrSb_2$ synthesized under high pressure 145
H. Takizawa, K. Uheda, T. Endo (Sendai, Japan)

Preparation of $YBa_2Cu_3O_{7-\delta}$ powders by the thermal decomposition of a heteronuclear complex, $CuY_{1/3}Ba_{2/3}(dhbaen)(NO_3)_{1/3}(H_2O)_3$ 150
E. Hasegawa, H. Aono (Matsuyama, Japan), T. Igoshi, M. Sakamoto (Yamagata, Japan), E. Traversa (Roma, Italy), Y. Sadaoka (Matsuyama, Japan)

Metallurgy

Calculation of formation enthalpies and phase stability for Ru–Al alloys using an analytic embedded atom model 159
W. Hu (Changsha, People's Republic of China), B. Zhang (Changsha and Shengyang, People's Republic of China), X. Shu, B. Huang (Changsha, People's Republic of China)

Interaction between components in the systems Zr–Mo–P and Hf–Mo–P 163
Ya.F. Lomnytska, Yu.B. Kuz'ma (Lviv, Ukraine)

Investigation of the short-range order in the Ca–Sb melts 167
A. Bouhajib, A. Nadiri, A. Yacoubi (Meknès, Morocco), R. Castanet (Marseille, France)

Partial enthalpies of titanium, hafnium, tantalum, tungsten and iridium in liquid tin at high dilution 170
A. Bouhajib, A. Nadiri, A. Yacoubi (Meknès, Morocco) R. Castanet (Marseille, France)

Interaction of lanthanum or cerium with nickel and arsenic: phase diagrams and structural chemistry 174
V. Babizhets'ky, C. Le Sénéchal, J. Bauer, S. Députier, R. Guérin (Rennes, France)

Crystal structure of $Ag_2In_2GeSe_6$ 181
O.V. Krykhovets, L.V. Sysa, I.D. Olekseyuk (Lutsk, Ukraine), T. Glowyak (Wroclaw, Poland)

Phase equilibria in the Gd–Ti–Ge system at 1070 K 185
A.V. Morozkin (Moscow, Russian Federation)

Neutron diffraction studies of Zr-containing intermetallic hydrides with ordered hydrogen sublattice, III. Orthorhombic Zr_3FeD_x (x=1.3, 2.5 and 5.0) with partially filled Re_3B-type structure 189
V.A. Yartys (Kjeller, Norway, Lviv, Ukraine), H. Fjellvåg (Kjeller, Oslo, Norway), B.C. Hauback (Kjeller, Norway), A.B. Riabov (Lviv, Ukraine), M.H. Sørby (Kjeller, Norway, Oslo, Norway)

The isothermal section (500°C) of the phase diagram of the Fe–Ho–V ternary system 195
Z. Liping, Z. Kaiwen, W. Shiwei, Z. Yinghong (Guangxi, People's Republic of China)

The Cu_2Se–$HgSe$–$SnSe_2$ system 197
O.V. Parasyuk, I.D. Olekseyuk, O.V. Marchuk (Voli, Ukraine)

Materials Science

Densification of a $Nd_{13}Fe_{78}NbCoB_7$-type sintered magnet by (Nd, Dy)-hydride additions using a powder blending technique . 206
A. Kianvash, (Birmingham, UK and Tabriz, Iran), R.S. Mottram, I.R. Harris (Birmingham, UK)

Improvement of the cycle stability of vanadium-based alloy for nickel-metal hydride (Ni–MH) battery 215
M. Tsukahara, K. Takahashi, A. Isomura (Aichi, Japan), T. Sakai (Osaka, Japan)

Formation of the alloys $UCo_{5-x}In_x$ (x=0.5 and 1) and their characterization by X-ray diffraction, magnetization, and electrical-resistivity measurements 221
R. Troć (Wroclaw, Poland), V. Zaremba (Lviv, Ukraine), M. Kuznietz (Beer-Sheva, Israel), J. Stępien-Damm (Wroclaw, Poland), K. Hiebl (Vienna, Austria)

Exchange coupled $R_2(Fe,Co,Nb)_{14}B$/(Fe,Co) (R=Nd,Pr) and $Sm_2(Fe,Co,Cr)_{17}C_2$/(Fe,Co) nanocomposite magnets 227
Z. Chen, Y. Zhang, G.C. Hadjipanayis (Newark, DE, USA), Q. Chen, B. Ma (Cranbury, NJ, USA)

Crystallization study of electroless Fe–Sn–B amorphous alloy deposits 234
L. Wang, L. Zhao, B. Zhang, W. Hu, X. Shu, X. Sheng, Z. Fang (Changsha, People's Republic of China)

Defects in $Sb_{2-x}Bi_xTe_3$ foils 239
E. Koukarenko (Minsk, Belarus), G.P. Vassilev (Sofia, Bulgaria), N. Nancheva, P. Docheva (Rousse, Bulgaria), J.C. Tedenac, N. Freti (Montpellier, France), V. Shepelevich (Minsk, Belarus)

Hydrogenation of amorphous and nanocrystalline Mg-based alloys 243
T. Spassov, U. Köster (Dortmund, Germany)

Preparation and hydrogen storage properties of $Mg_{1-x}Ni_x$ (x=0–45 wt.%) composites 251
J. Yang, M. Ciureanu, R. Roberge (St-Laurent, Canada)

Mechanical milling of $Fe_{72}Pt_{28}$ alloy 256
H. Takano, N. Oba, S. Murayama, K. Hoshi (Hokkaido, Japan), H. Bakker, F.R. de Boer (Amsterdam, Netherlands)

Structural investigation and hydrogen capacity of YMg_2Ni_9 and $(Y_{0.5}Ca_{0.5})(MgCa)Ni_9$: new phases in the AB_2C_9 system isostructural with $LaMg_2Ni_9$ 264
K. Kadir, T. Sakai, I. Uehara (Osaka, Japan)

Irreversibility fields in multifilamentary Nb–Ti wires 271
T. Hamada, R.-i. Morimo, Y. Takenaka (Miyakonojo, Japan), H. Matsuoka, E.S. Otabe, T. Matsushita (Iizuka, Japan)

The effect of the starting solution on the physico-chemical properties of zinc ferrite synthesized at low temperature 276
J.L.M. de Vidales, A. López-Delgado, E. Vila, F.A. López (Madrid, Spain)

Microstructure and mechanical properties of hypo/hyper-eutectic Al–Si alloys synthesized using a near-net shape forming technique 284
M. Gupta, S. Ling (Singapore, Singapore)

Author Index of Volume 287 295

Subject Index of Volume 287 297

CONTENTS direct

This journal is part of **ContentsDirect**, the ***free*** alerting service which sends tables of contents by e-mail for Elsevier Science books and journals. You can register for **ContentsDirect** online at: **www.elsevier.nl/locate/contentsdirect**